

<u>DIMENSIONS</u>	OD135W
Operating height	2695mm
Height to bucket hinge pin	2000mm
Height to top	1496mm
Overall length with GP bucket	2694mm
Overall length without bucket	2067mm
Wheelbase	1080mm
Overall width	1070mm
Mini ground clearance	94mm
Angle of departure	23°
Rated loading capacity	400kgs
Kerb weight	1350kgs
<u>POWER</u>	OD135W - Wheel
Engine maker	KUBOTA V1505
Fuel type	Diesel
Rating power	35.5hp
Number of cylinder	4
Displacement	1.498L
Rated speed	3000
<u>TRAVEL SPEED</u>	OD135W - Wheel
Max. drive speed	7.6km/h
<u>HYDRAULIC SYSTEM</u>	OD13W - Wheel
<u>WORKING SYSTEM</u>	
working system pressure	180bar
working system Flow rate	55L/min
<u>DRIVING SYSTEM</u>	
Driving System pressure	250 bar
Driving system Flow rate	119.7 L/min
<u>Auxiliary circuit System</u>	
Auxiliary circuit Pressure	180bar
Auxiliary circuit flow rate	55L/min
<u>FLUID CAPACITIES</u>	OD135W - Wheel
Fuel tank capacity	35L
Engine oil	4.5 L

Hydraulic reservoir capacity	35 L
<u>BATTERY</u>	OD135W - Wheel
Electrical Voltage	12V
Battery type	45AH made by YUASA

